



**GV-BCC825**  
Color Weather Resistant Video Camera  
**USER MANUAL**

## Introduction

- The GV-BCC825 weather resistant camera is ideal for any outdoor application.
- This camera offers 24 infrared LEDs which enable optimal viewing in a variety of lighting conditions.



## Precaution

- Choose an ideal location for the camera, since a camera unit must be protected against vibration.
- Be careful not to scratch the camera unit, especially lens glass.
- Use and store your camera within the temperature (-10°C ~ +50°C).
- Handle with care. Dropping it can cause serious damage to the camera.
- Avoid any direct sun light into the lens.
- Use the AC adaptor 12V DC regulated.

# Specification

TYPE	NTSC	TYPE	NTSC
<b>Image sensor</b>	1/3" COLOR 410K SONY CCD	<b>S/N ratio</b>	45dB or more (AGC off)
<b>Effective Pixel</b>	768(H) x 494(V)	<b>Gamma</b>	$\gamma = 0.45$
<b>Scanning System</b>	2:1 Interlace	<b>Gain Control</b>	Automatic Gain Control
<b>Output Signal</b>	1.0Vp-p (Sync.Negative) Termination 75 $\Omega$	<b>Consumption Current</b>	Max. 300mA(DC 12V LED ON) Max. 100mA(DC 12V LED OFF)
<b>Light Sensitivity</b>	0 Lux(15m Range) / LED ON 0.3 Lux / LED OFF	<b>Power Supply</b>	Regulated DC 12V
<b>Resolution</b>	Horizontal: 520 TV Lines	<b>Shutter Speed</b>	1/60 ~ 1/100,000 second
<b>Lens</b>	Fixed Focus Lens	<b>Video Out</b>	BNC
<b>Weight</b>	Approx. 350g	<b>Operation Temp.</b>	-10°C ~ 50°C
		<b>Preservation Temp.</b>	-20°C ~ 60°C

# Dimensions



Mounting Bracket

